

mPDF

Example 9. Forms

[illegible]

[illegible]

magna pellentesque aliquet. Nulla sit amet ipsum id enim tempus dictum. Quisque viverra. Etiam id libero at magna pellentesque aliquet. Nulla sit amet ipsum id enim tempus dictum. Quisque viverra. Etiam id libero at magna pellentesque aliquet. Nulla sit amet ipsum id enim tempus dictum. Quisque viverra. Etiam id libero at magna pellentesque aliquet. Nulla sit amet ipsum id enim tempus dictum. Quisque viverra.
--

Select	<select name="status" size="1"><option value="A">Active</option><option value="W">New item from auto_manager: pending validation</option><option selected="selected" value="I">Incomplete record - pending</option><option value="X">Flagged for Deletion</option></select> <input name="old_status" type="hidden" value="A"/>
---------------	--

[illegible]

Input Radio	<input name="recommended" type="radio" value="0"/> No <input name="recommended" type="radio" value="1"/> Keep <input checked="checked" name="recommended" type="radio" value="2"/> Choice
--------------------	---

Input Text	<input name="doi" size="40" type="text" value="10.1258/jrsm.100.5.211"/>
-------------------	--

| **Checkbox** | |

```
<tr><td><input type="checkbox" name="QPC" value="ON" > Checkboxes<br></td><td><input type="checkbox" name="QSC" value="ON" > Gardening</td></tr>
```

```
<tr><td><input type="checkbox" name="QPA" value="ON" > Holidays<br></td><td><input type="checkbox" name="QPD" value="ON" > Motoring<br></td></tr>
```

```
<tr><td><input type="checkbox" name="QLY" value="ON" checked="checked" > Books</td><td><input type="checkbox" name="QCA" value="ON" > Theatre</td></tr>
```

```
<tr><td><input type="checkbox" name="QNU" value="ON" checked="checked" > Selected  
option</td><td><input type="checkbox" name="QET" value="ON" > Musicals</td></tr><tr><td><input  
type="checkbox" name="QBE" value="ON" > Eating out</td><td><input type="checkbox" name="QPY" value="ON"  
> Events</td></tr>
```

```
<tr><td>
<input type="submit" name="submit" value="Submit" /><br />
</td><td></td></tr></table>
</form>
```

<form>

[illegible]

[illegible]

```

value="2" checked="checked" > Choice

<br /><br />

<b>Input Text</b><br />

Input text: <input type="text" size="40" name="doi" value="10.1258/jrsm.100.5.211" /> <br />

Password: <input type="password" size="40" name="doi" value="pallcare" />
<br /><br />

Checkboxes: <br />
<input type="checkbox" name="QPC" value="ON" /> Checkboxes<br>
<input type="checkbox" name="QPA" value="ON" disabled="disabled" /> Disabled<br>
<input type="checkbox" name="QLY" value="ON" checked="checked" /> Selected
<br /><br />

<input type="image" name="submit" src="goto.gif" />
<input type="button" name="submit" value="Button" />
<input type="reset" name="submit" value="Reset" />
<input type="submit" name="submit" value="Submit" />
</form>

';

//=====
//=====
//=====
if (isset($_REQUEST['html'])) { echo
'<html><head><style>'.file_get_contents('mpdfstyletables.css').'</style></head><body>'.$html.'</body><
/html>'; exit; }
if (isset($_REQUEST['source'])) {
    $file = __FILE__;
    header("Content-Type: text/plain");
    header("Content-Length: ". filesize($file));
    header("Content-Disposition: attachment; filename='".$file."'");
    readfile($file);
    exit;
}
//=====
//=====
//=====

$mpdf=new mPDF('c');

$mpdf->default_lineheight_correction = 1.2;

// LOAD a stylesheet
$stylesheet = file_get_contents('mpdfstyletables.css');
$mpdf->WriteHTML($stylesheet,1); // The parameter 1 tells that this is css/style only and no
body/html/text

$mpdf->SetColumns(2,'J');

$mpdf->WriteHTML($html);

$mpdf->Output();
exit;

?>

```