

Example 11. Overflow auto

```
<?php

$html = '
<div style="position:fixed; left: 0; right: 0; bottom: 0; top: 0;">
<h1>mPDF</h1>
<h4>Fixed-position block element with Autofit</h4>
<div>Using the CSS properties position and overflow:auto it is possible to fit text to a single
page:</div>

<p>Nulla felis erat, imperdiet eu, ullamcorper non, nonummy quis, elit. Suspendisse potenti. Ut a eros
at ligula vehicula pretium. Maecenas feugiat pede vel risus. Nulla et lectus. Fusce eleifend neque sit
amet erat. Integer consectetur nulla non orci. Morbi feugiat pulvinar dolor. Cras odio. Donec mattis,
nisi id euismod auctor, neque metus pellentesque risus, at eleifend lacus sapien et risus. Phasellus
metus. Phasellus feugiat, lectus ac aliquam molestie, leo lacus tincidunt turpis, vel aliquam quam
odio et sapien. Mauris ante pede, auctor ac, suscipit quis, malesuada sed, nulla. Integer sit amet
odio sit amet lectus luctus euismod. Donec et nulla. Sed quis orci. </p>

<div>DIV: Proin aliquet lorem id felis. Curabitur vel libero
at mauris nonummy tincidunt. Donec imperdiet. Vestibulum sem sem, lacinia vel, molestie et, laoreet
eget, urna. Curabitur viverra faucibus pede. Morbi lobortis. Donec dapibus. Donec tempus. Ut arcu enim,
rhoncus ac, venenatis eu, porttitor mollis, dui. Sed vitae risus. In elementum sem placerat dui. Nam
tristique eros in nisl. Nulla cursus sapien non quam porta porttitor. Quisque dictum ipsum ornare
tortor. Fusce ornare tempus enim. </div>
<div>DIV: Proin aliquet lorem id felis.
Curabitur vel libero at mauris nonummy tincidunt. Donec imperdiet. Vestibulum sem sem, lacinia vel,
molestie et, laoreet eget, urna. Curabitur viverra faucibus pede. Morbi lobortis. Donec dapibus. Donec
tempus. Ut arcu enim, rhoncus ac, venenatis eu, porttitor mollis, dui. Sed vitae risus. In elementum
sem placerat dui. Nam tristique eros in nisl. Nulla cursus sapien non quam porta porttitor. Quisque
dictum ipsum ornare tortor. Fusce ornare tempus enim. </div>

<blockquote>Blockquote: Maecenas arcu justo, malesuada eu, dapibus ac, adipiscing vitae, turpis. Fusce
mollis. Aliquam egestas. In purus dolor, facilisis at, fermentum nec, molestie et, metus. Maecenas
arcu justo, malesuada eu, dapibus ac, adipiscing vitae, turpis. Fusce mollis. Aliquam egestas. In
purus dolor, facilisis at, fermentum nec, molestie et, metus.</blockquote>

<address>Address: Vestibulum feugiat, orci at imperdiet tincidunt, mauris erat facilisis urna,
sagittis ultricies dui nisl et lectus. Sed lacinia, lectus vitae dictum sodales, elit ipsum ultrices
orci, non euismod arcu diam non metus.</address>

<div><a href="dummy'.time().'">Hyperlink (&lt;a&gt;)</a></div>
<div><a href="#top">Hyperlink (&lt;a&gt;)</a></div>
<div><a href="http://www.pallcare.info">Hyperlink (&lt;a&gt;)</a></div>

<div>Styles - <tt>teletype</tt> <i>italic</i> <b>bold</b> <big>big</big> <small>small</small>
<em>emphasis</em> <strong>strong</strong> <br />new lines<br>
<code>code</code> <samp>sample</samp> <kbd>keyboard</kbd> <var>variable</var> <cite>citation</cite>
<abbr>abbr.</abbr> <acronym>ACRONYM</acronym> <sup>sup</sup> <sub>sub</sub> <strike>strike</strike>
<s>strike-s</s> <u>underline</u> <del>delete</del> <ins>insert</ins> <q>To be or not to be</q> <font
face="sans-serif" color="#880000" size="5">font changing face, size and color</font>
</div>

<p style="font-size:15pt; color:#440066">Paragraph using the in-line style to determine the font-size
(15pt) and colour</p>

<h3>Testing BIG, SMALL, UNDERLINE, STRIKETHROUGH, FONT color, ACRONYM, SUPERScript and SUBScript</h3>
<p>This is <s>strikethrough</s> in <b><s>block</s></b> and <small>small <s>strikethrough</s> in
<i>small span</i></small> and <big>big <s>strikethrough</s> in big span</big> and then <u>underline
and <s>strikethrough and <sup>sup</sup></s></u> but out of span again but <font
color="#000088">blue</font> font and <acronym>ACRONYM</acronym> text</p>

<p>This is a <font color="#008800">green reference<sup>32-47</sup></font> and <u>underlined
reference<sup>32-47</sup></u> then reference<sub>32-47</sub> and <u>underlined
reference<sub>32-47</sub></u> then <s>Strikethrough reference<sup>32-47</sup></s> and <s>strikethrough
```

reference₃₂₋₄₇</s></p>

<p><big>Repeated in <u>BIG</u>: This is reference³²⁻⁴⁷ and <u>underlined
reference³²⁻⁴⁷</u> then reference₃₂₋₄₇ and <u>underlined
reference₃₂₋₄₇</u> but out of span again but blue font and
<acronym>ACRONYM</acronym> text</big></p>

<p><small>Repeated in small: This is reference³²⁻⁴⁷ and <u>underlined
reference³²⁻⁴⁷</u> then reference₃₂₋₄₇ and <u>underlined
reference₃₂₋₄₇</u> but out of span again but blue font and
<acronym>ACRONYM</acronym> text</small></p>

<p>The above repeated, but starting with a paragraph with font-size specified (7pt)</p>

<p style="font-size:7pt;">This is <s>strikethrough</s> in block and <small>small <s>strikethrough</s>
in small span</small> and then <u>underline</u> but out of span again but <font
color="#000088">blue font and <acronym>ACRONYM</acronym> text</p>

<p style="font-size:7pt;">This is <s>strikethrough</s> in block and <big>big <s>strikethrough</s> in
big span</big> and then <u>underline</u> but out of span again but blue
font and <acronym>ACRONYM</acronym> text</p>

<p style="font-size:7pt;">This is reference³²⁻⁴⁷ and <u>underlined
reference³²⁻⁴⁷</u> then reference₃₂₋₄₇ and <u>underlined
reference₃₂₋₄₇</u> then <s>Strikethrough reference³²⁻⁴⁷</s> and <s>strikethrough
reference₃₂₋₄₇</s></p>

<p><small>This tests <u>underline</u> and <s>strikethrough</s> when they are <s><u>used
together</u></s> as they both use text-decoration</small></p>

<p><small>Repeated in small: This is reference³²⁻⁴⁷ and <u>underlined
reference³²⁻⁴⁷</u> then reference₃₂₋₄₇ and <u>underlined
reference₃₂₋₄₇</u> but out of span again but blue font and
<acronym>ACRONYM</acronym> text</small></p>

<p style="font-size:7pt;"><big>Repeated in BIG but with font-size set to 7pt by in-line css: This is
reference³²⁻⁴⁷ and <u>underlined reference³²⁻⁴⁷</u> then
reference₃₂₋₄₇ and <u>underlined reference₃₂₋₄₇</u> but out of span again but
blue font and <acronym>ACRONYM</acronym> text</big></p>

<p>Sed bibendum. Nunc eleifend ornare velit. Sed consectetur urna in erat. Class aptent taciti
sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Mauris sodales semper metus.
Maecenas justo libero, pretium at, malesuada eu, mollis et, arcu. Ut suscipit pede in nulla. Praesent
elementum, dolor ac fringilla posuere, elit libero rutrum massa, vel tincidunt dui tellus a ante. Sed
aliquet euismod dolor. Vestibulum sed dui. Duis lobortis hendrerit quam. Donec tempus orci ut libero.
Pellentesque suscipit malesuada nisi. </p>

<p>Praesent pharetra nulla in turpis. Sed ipsum nulla, sodales nec, vulputate in, scelerisque vitae,
magna. Sed egestas justo nec ipsum. Nulla facilisi. Praesent sit amet pede quis metus aliquet
vulputate. Donec luctus. Cras euismod tellus vel leo. Cras tellus. Fusce aliquet. Curabitur tincidunt
viverra ligula. Fusce eget erat. Donec pede. Vestibulum id felis. Phasellus tincidunt ligula non pede.
Morbi turpis. In vitae dui non erat placerat malesuada. Mauris adipiscing congue ante. Proin at erat.
Aliquam mattis. </p>
</div>

';

```
//=====
//=====
//=====
include("../mpdf.php");
```

```
$mpdf=new mPDF('c');
```

```
$mpdf->SetDisplayMode('fullpage');
```

```
$mpdf->WriteHTML($html);
```

```
$mpdf->Output();
```

```
exit;
```

```
//=====
//=====
//=====
```

```
?>
```